



Le flux de sang à travers la mamelle

Le flux de sang à travers la mamelle s'élève à 90 000 litres par jour. Il faut entre 400 et 500 litres de sang pour obtenir un litre de lait. 200 à 250 kg de sang pour obtenir un litre de lait






Résultat des blessures du jarret



"Research Dutch Mountain Cowmattress" Wageningen Livestock Research, 2020 - S. Greidanus



Résultat sur les sabots




"Research Dutch Mountain Cowmattress" Wageningen Livestock Research, 2020 - S. Greidanus



Résultat du temps de couchage

Comparaison avec logette creuse





Résultats

Augmentation de la durée moyenne d'alimentation

+ 37 minutes

Augmentation de la durée moyenne de rumination

+ 30 minutes

Diminution de l'action de se coucher

- 3 minutes 06 secondes

"Research Dutch Mountain Cowmattress" Wageningen Livestock Research, 2020 - S. Greidanus

Dutch Mountain

Research into the lying behavior of dairy cows when using the Dutch Mountain cow mattress

Research location: Dairy Campus in Leeuwarden (NL) part of Wageningen

University & Research (WUR)

By Sipke Greidanus Email: sipke.greidanus@hvhl.nl Graduation assignment

Date: 15-01-2020



Cowhouse International

Nobelweg 1 8921BJ Leeuwarden Pay-Bas

Email: info@cowhouse.nl Tel: +31 (0)88 1012 900



